Northern Tioga S. D.

Preventative Maintenance

Westfield Elementary School 1355 Route 49 Westfield, PA 16950

SUMMER PREVENTATIVE MAINTENANCE

COMMENTS OR SPECIAL INSTRUCTIONS:

To be completed by: August 15th, 2025. School buildings are open M-Th, 6:00 AM till 4:30 PM from June 16th through August 8th. After August 11th, school buildings are open M-Fri, 6:00 AM till 3:30PM..

	DESCRIPTION	
Booster Heater	De-lime booster heater on dish machine.	
Dish machine (1)	 De-lime dish machine. Check all gaskets. Check elements on booster heater. Check the dish machine curtains and advise if replacement is needed. 	
Warmers	 Check all temperatures. Clean circulating fans. Check all gaskets for wear. Check shelving for loose hardware for all mobile warmers, and tighten shelves as needed. 	
Ovens	 Calibrate oven temperatures. Clean vent and burner area of oven. Inspect burners and pilots for build-up of cooking residue. 	
Can openers	Inspect blades; sharpen or replace as needed.Lube.	
Serving line	 Check calibration of hot table temperatures; check amp draws of heating element. Do visual inspection of all wires for serving line for safety. 	

Knives	Sharpen all blades.	
Garbage Disposal	 Check for proper operation. Check for loose hardware. Check guards. Advise for any repairs / replacements needed. 	
Tilting skillet	 Check water levels for steam jacketed equipment. Check for lime build-up. Check for build-up on the water sensors. 	
Steamer	 Check the hoses for obstructions of either food debris, scale, lime or calcium. (This should be done to the interior of the cooking chamber as well as the drain valve.) Check for lime build-up and use vinegar to de-lime. DO NOT USE LIMEAWAY ON THIS STEAMER. 	